



# Crop Report

7-Jul-2022


Resilient EP Soil  
Moisture Probe Network:  
Lock

Crop: Wheat  
Cultivar: Scepter  
Sowing details: 180 plants/m<sup>2</sup> on 9-May  
Expected maturity date: 24-Oct

Paddock Details  
Initial conditions date: 21-Mar  
Soil: ResEP\_sandy loam\_Lock  
1000 mm max rooting depth  
Stubble: 1000 kg/ha of Canola  
No till


## Grain Yield Outcome

- Nitrogen limited Yield
- Water limited Yield
- Nitrogen limited Yield with Frost and heat Effects
- Water limited Yield with Frost and heat Effects



This graph shows the probability of exceeding a range of yield outcomes this season. It takes into account your pre-season soil moisture, the weather conditions so far, soil N and agronomic inputs. The long term record from your nominated weather station is then used to simulate what would have happened from this date on in each year of the climate record. The yield results are used to produce this graph.


## Hay Yield Outcome



This graph shows the probability of exceeding a range of hay yield outcomes this season. It takes into account the same factors as the grain yield graph above. When above ground dry matter is below 2t/ha, hay yield is assumed to be 70% of dry matter, with a moisture content of 13%. When dry matter is between 2 and 12t/ha, hay yield is assumed to be between 70 and 75% of dry matter (sliding scale). When dry matter is above 12t/ha, hay yield is assumed to be between 75 and 80% (sliding scale).

Current dry matter: 1887.7kg/ha

## The Season So Far - Growing Season Rainfall Deciles



# Simulated and Predicted Crop Growth Stage



## Predicted


Earliest	18-May	28-May	5-Jun	14-Jun	21-Jun	29-Jun
Median	18-May	28-May	5-Jun	14-Jun	21-Jun	29-Jun
Latest	18-May	28-May	5-Jun	14-Jun	21-Jun	29-Jun




## Predicted

Earliest	15-Jul	18-Jul	22-Jul	1-Aug	6-Aug	15-Aug	25-Aug	4-Sep	20-Sep
Median	17-Jul	20-Jul	25-Jul	5-Aug	10-Aug	19-Aug	30-Aug	9-Sep	27-Sep
Latest	19-Jul	23-Jul	28-Jul	10-Aug	15-Aug	25-Aug	6-Sep	17-Sep	6-Oct

# Probability and Incidence of Frost and Heat Shock




## Current Distribution of PAW



## Water Budget

Initial PAW status @ 21-Mar	93 mm
Rainfall since 21-Mar	117.6 mm
Irrigations	
Evaporation since 21-Mar	71 mm
Transpiration since 21-Mar	22 mm
Deep drainage since 21-Mar	0 mm
Run-off since 21-Mar	0 mm
<b>Current PAW status:</b>	<b>117 mm</b>


## Probability of Future Waterlogging Events



## Nitrogen Budget


Initial N status @ 21-Mar	154 kg/ha
N mineralisation since 21-Mar	3 kg/ha
N tie up since 21-Mar	6 kg/ha
N applications	
	9-May : 9 kg/ha
	23-Jun : 32 kg/ha
Total N in plant	91 kg/ha
De-nitrification since 21-Mar	0 kg/ha
Leaching since 21-Mar	0 kg/ha
<b>Current N status:</b>	<b>101 kg/ha</b>
Median N mineralisation to maturity = 0.694 kg/ha	
Median N tie up to maturity = 0.5465 kg/ha	

## Current distribution of soil nitrogen (kg/ha)




Current Crop Available N = 80 kg/ha  
 Total Soil N = 101 kg/ha


## Availability of Water to Growing Roots




## Availability of Soil Nitrogen to Growing Roots



## Water Stress



## Nitrogen Stress




Brief periods of mild to moderate stress do not necessarily lead to reduced yield. To see the likely impacts of additional nitrogen fertiliser rates use the Nitrogen and Nitrogen Profit reports.

## Median projected crop performance and requirements for the next 10 days assuming no rain and no added fertiliser

Date	Growth Stage	Evap. (mm)	Water use (mm)	N use (kg/ha)	Water avail. to roots above stress threshold (mm)	Water avail. to roots above CLL (mm)	N avail. to roots (kg/ha)	Mineralisation (kg/ha)	N tie up (kg/ha)
8-Jul	16.0	0.4	0.8	2.8	42.7	86.5	77.5	0.0	0.0
9-Jul	16.0	0.4	0.9	3.0	42.1	86.7	76.4	0.0	0.0
10-Jul	16.0	0.4	1.0	3.1	41.5	86.9	75.0	0.0	0.0
11-Jul	16.0	0.4	0.8	2.6	41.0	87.3	74.1	0.0	0.0
12-Jul	16.0	0.4	0.9	2.9	40.2	87.7	72.8	0.0	0.0
13-Jul	16.0	0.4	0.9	3.0	39.8	88.0	71.8	0.0	0.0
14-Jul	16.0	0.4	0.9	2.9	38.8	88.2	70.3	0.0	0.0
15-Jul	16.0	0.4	0.9	2.8	38.2	88.6	69.3	0.0	0.0
16-Jul	30.2	0.4	0.9	2.8	37.6	88.9	67.7	0.0	0.0
17-Jul	30.4	0.4	1.1	2.8	36.2	88.6	65.8	0.0	0.0

The water available to roots above the stress threshold is the amount of PAW (mm) above one third of the total water holding capacity of this soil. If the water values are below this stress threshold the water available to roots above the stress threshold will be negative.

3 MONTH RAINFALL OUTLOOK FOR JULY TO SEPTEMBER



PAST ACCURACY FOR JULY TO SEPTEMBER

