

Crop Report

11-Nov-2022 Nicole Baty: Minnipa

Paddock Details

Initial conditions date: 15-Mar

Soil: Red sandy clay loam (Minnipa No909) 1100 mm max rooting depth Stubble: 1000 kg/ha of Canola No till

Grain Yield Outcome

☑Nitrogen limited Yield


ONitrogen limited Yield with Frost and heat Effects

Crop: Wheat


Cultivar: Mace

Sowing details: 180 plants/m² on 5-May

Expected maturity date: 26-Oct




• Water limited Yield with Frost and heat Effects




This graph shows the probability of exceeding a range of yield outcomes this season. It takes into account your pre-season soil moisture, the weather conditions so far, soil N and agronomic inputs. The long term record from your nominated weather station is then used to simulate what would have happened from this date on in each year of the climate record. The yield results are used to produce this graph.

Hay Yield Outcome




This graph shows the probability of exceeding a range of hay yield outcomes this season. It takes into account the same factors as the grain yield graph above. When above ground dry matter is below 2t/ha, hay yield is assumed to be 70% of dry matter, with a moisture content of 13%. When dry matter is between 2 and 12t/ha, hay yield is assumed to be between 70 and 75% of dry matter (sliding scale). When dry matter is above 12t/ha, hay yield is assumed to be between 75 and 80% (sliding scale).

Current dry matter: 0kg/ha




Simulated and Predicted Crop Growth Stage




Probability and Incidence of Frost and Heat Shock

Frost damage during flowering Probability This Season				Heat damage during grain fill			
				Probability		This Season	
2 to 0°C during		21%	0	mild	42%	0	
flowering		0%		moderate 34 to 36°C	34%	0	
moderate 0 to -2°C during flowering & early grain fill		0%	0	severe Above 36°C	13%	0	
Severe 0% Less than -2°C during flowering & grain fill	0						

Current Distribution of PAW





Current root depth = 0 mm Median final root depth = 1100 mm Current crop PAW available to roots = 8 mm Total Soil PAW = 23 mm PAWC = 139 mm

PAW = Plant Available Water


- CLL = Crop Lower Limit or Wilting Point
- DUL = Drained Upper Limit or Field Capacity
- **PAWC** = Plant Available Water Capacity

Current Crop PAW = Soil water currently accessible to the roots down to the current rooting depth Soil PAW = Total accessible soil water in the soil profile

Water Budget

Initial PAW status @ 15-Mar	42 mm	100	
Rainfall since 15-Mar	321.1 mm		
Irrigations		80	
Evaporation since 15-Mar	183 mm	00	
Transpiration since 15-Mar	155 mm		
Deep drainage since 15-Mar	0 mm	8 60	
Run-off since 15-Mar	2 mm	lity	
Current PAW status:	23 mm	04 ge	
		10	

Probability of Future Waterlogging Events




Nitrogen Budget


Initial N status @ 15-Mar	250 kg/ha
N mineralisation since 15-Mar	19 kg/ha
N tie up since 15-Mar	4 kg/ha
N applications	
	5-May : 31.5 kg/ha
Total N in plant	0 kg/ha
De-nitrification since 15-Mar	1 kg/ha
Leaching since 15-Mar	0 kg/ha
Current N status:	65 kg/ha
Madian N minoralization to maturity O kg /ba	

Median N mineralisation to maturity = 0 kg/ha Median N tie up to maturity = 0 kg/ha


Current distribution of soil nitrogen (kg/ha)




Current Crop Available N = 1 kg/ha Total Soil N = 65 kg/ha




Water Stress



Availability of Soil Nitrogen to Growing Roots



Nitrogen Stress



Brief periods of mild to moderate stress do not necessarily lead to reduced yield. To see the likely impacts of additional nitrogen fertiliser rates use the Nitrogen and Nitrogen Profit reports.

Median projected crop performance and requirements for the next 10 days assuming no rain and no added fertiliser

Date	Growth	Growth Evap.		N use	Water avail. to roots	Water avail. to roots	N avail.	MineralisationN tie up	
	Stage	(mm)	use	(kg/ha)	above stress threshold	above CLL (mm)	to roots	(kg/ha)	(kg/ha)
			(mm)		(mm)		(kg/ha)		
11-Nov	9.0	0.6	0.0	0.0	2.2	7.3	1.8	0.3	0.0
12-Nov	9.0	0.6	0.0	0.0	1.8	6.9	2.0	0.3	0.0
13-Nov	9.0	0.6	0.0	0.0	1.4	6.5	2.3	0.3	0.0
14-Nov	9.0	0.5	0.0	0.0	1.1	6.2	2.6	0.3	0.0
15-Nov	9.0	0.5	0.0	0.0	O.7	5.9	2.9	0.3	0.0
16-Nov	9.0	0.5	0.0	0.0	O.4	5.5	3.1	0.3	0.0
17-Nov	9.0	0.5	0.0	0.0	O.1	5.2	3.4	0.3	0.0
18-Nov	9.0	0.5	0.0	0.0	-0.2	4.9	3.6	0.2	0.0
19-Nov	9.0	0.4	0.0	0.0	-0.5	4.6	3.8	0.2	0.0
20-Nov	9.0	0.4	0.0	0.0	-0.8	4.4	4.0	0.2	0.0

The water available to roots above the stress threshold is the amount of PAW (mm) above one third of the total water holding capacity of this soil. If the water values are below this stress threshold the water available to roots above the stress threshold will be negative.

