



# Crop Report


6-Nov-2025

Andrew H Ware: Edillilie

Crop: Wheat  
Cultivar: Scepter  
Sowing details: 200 plants/m<sup>2</sup> on 25-May  
Expected maturity date: 28-Nov


Paddock Details  
Initial conditions date: 1-Feb  
Soil: Loamy Sand over Clay Loam (Greenpatch No588)  
1000 mm max rooting depth  
Stubble: 3000 kg/ha of Wheat  
No till

## Grain Yield Outcome



This graph shows the probability of exceeding a range of yield outcomes this season. It takes into account your pre-season soil moisture, the weather conditions so far, soil N and agronomic inputs. The long term record from your nominated weather station is then used to simulate what would have happened from this date on in each year of the climate record. The yield results are used to produce this graph.


## Hay Yield Outcome




This graph shows the probability of exceeding a range of hay yield outcomes this season. It takes into account the same factors as the grain yield graph above. When above ground dry matter is below 2t/ha, hay yield is assumed to be 70% of dry matter, with a moisture content of 13%. When dry matter is between 2 and 12t/ha, hay yield is assumed to be between 70 and 75% of dry matter (sliding scale). When dry matter is above 12t/ha, hay yield is assumed to be between 75 and 80% (sliding scale).

Current dry matter: 7101937363347256kg/ha


## The Season So Far - Growing Season Rainfall Deciles




Simulated and Predicted Crop Growth Stage



Probability and Incidence of Frost and Heat Shock

Frost damage during flowering				Heat damage during grain fill			
Probability		This Season		Probability		This Season	
mild 2 to 0°C during flowering moderate 0 to -2°C during flowering & early grain fill severe Less than -2°C during flowering & grain fill		0%	0	mild 32 to 34°C		100%	1
				moderate 34 to 36°C		0%	0
		0%	0	severe Above 36°C		0%	0


Current Distribution of PAW



Water Budget

Initial PAW status @ 1-Feb	30 mm
Rainfall since 1-Feb	3811 mm
Irrigations	
Evaporation since 1-Feb	178 mm
Transpiration since 1-Feb	167 mm
Deep drainage since 1-Feb	102 mm
Run-off since 1-Feb	4 mm
<b>Current PAW status:</b>	<b>18 mm</b>


Probability of Future Waterlogging Events




Nitrogen Budget

Initial N status @ 1-Feb	57 kg/ha
N mineralisation since 1-Feb	122 kg/ha
N tie up since 1-Feb	0 kg/ha
N applications	
10-May : 20 kg/ha	
Total N in plant	114 kg/ha
De-nitrification since 1-Feb	0 kg/ha
Leaching since 1-Feb	81 kg/ha
<b>Current N status:</b>	<b>26 kg/ha</b>
Median N mineralisation to maturity = 66.9134274789198 kg/ha	
Median N tie up to maturity = 0 kg/ha	


Current distribution of soil nitrogen (kg/ha)




Availability of Water to Growing Roots




Availability of Soil Nitrogen to Growing Roots



Water Stress



Nitrogen Stress




Brief periods of mild to moderate stress do not necessarily lead to reduced yield. To see the likely impacts of additional nitrogen fertiliser rates use the Nitrogen and Nitrogen Profit reports.

Median projected crop performance and requirements for the next 10 days assuming no rain and no added fertiliser

Date	Growth Stage	Evap. (mm)	Water use (mm)	N use (kg/ha)	Water avail. to roots above stress threshold (mm)	Water avail. to roots above CLL (mm)	N avail. to roots (kg/ha)	Mineralisation (kg/ha)	N tie up (kg/ha)
7-Nov	87.0	2.2	0.0	0.0	3.2	15.5	23.3	0.3	0.0
8-Nov	88.3	2.2	0.0	0.0	0.7	13.0	23.6	0.3	0.0
9-Nov	89.7	1.4	0.0	0.0	-0.8	11.5	23.9	0.3	0.0
10-Nov	90.0	1.1	0.0	0.0	-2.0	10.3	24.2	0.3	0.0
11-Nov	90.0	0.9	0.0	0.0	-3.0	9.3	24.6	0.4	0.0
12-Nov	90.0	0.8	0.0	0.0	-3.8	8.5	24.9	0.4	0.0
13-Nov	90.0	0.7	0.0	0.0	-4.7	7.6	25.2	0.4	0.0
14-Nov	90.0	0.7	0.0	0.0	-5.4	6.9	25.5	0.4	0.0
15-Nov	90.0	0.6	0.0	0.0	-6.1	6.2	25.8	0.4	0.0
16-Nov	90.0	0.6	0.0	0.0	-6.8	5.5	26.1	0.4	0.0


The water available to roots above the stress threshold is the amount of PAW (mm) above one third of the total water holding capacity of this soil. If the water values are below this stress threshold the water available to roots above the stress threshold will be negative.

3 MONTH RAINFALL OUTLOOK FOR  
NOVEMBER TO JANUARY




20 25 30 35 40 45 50 55 60 65 70 75 80  
Chance of exceeding median rainfall (%)


NOVEMBER  
RAINFALL OUTLOOK




DECEMBER  
RAINFALL OUTLOOK



PAST ACCURACY FOR  
NOVEMBER TO JANUARY



PAST ACCURACY FOR  
NOVEMBER



PAST ACCURACY FOR  
DECEMBER



  
Australian Government  
Bureau of Meteorology

© Copyright  
Commonwealth of Australia 2021 Bureau of Meteorology  
<http://www.bom.gov.au/climate>

Issued: 28 October 2025